

KEEP THE ELEMENTS OUT

WITH ADVANCED WEATHER RESISTANT
TECHNOLOGY & HIGH TENSILE STRENGTH



BINDING TAPES

Finer in feel and appearance than industrial webbing, binding tapes and ribbons are strong yet versatile across diverse applications.

Manufactured from high performance polyester, nylon or cotton yarns, binding tapes are supplied in various configurations and dyed colours to meet diverse customer requirements, being both durable and lightweight.

QUALITY ASSURED

High quality materials and superior manufacturing processes allow for a world class product performance which is supported by the company's ISO 9001:2015 quality management system. This ensures compliance to stringent quality standards and peace of mind to our customers, no matter the application.

ACCREDITATION

Webbing Products is ISO 9001:2015 certified with its quality management system key in producing high quality products for global supply.



CONSTRUCTION

- Manufactured from high quality polyester, nylon or cotton yarns, various weave patterns are utilised to provide a superior quality binding tape specific to our customers' requirements.
- Specialised finishing equipment is utilised to provide a wide range of colours that are available as standard or alternatively matched to specific requirements.



FEATURES & BENEFITS

SUPERIOR STRENGTH FACTORS

Binding tapes maintain significant strength given the use of quality raw materials, superior manufacturing processes and product designs specially applied to achieve the end use application.

APPLICATIONS

Applications include, amongst others:

- Furniture industry
- Apparel
- Home furnishings
- Industrial applications
- Mattresses

SPECIALISED FINISHES


Specialised finishes are available to specific specifications, including waterproofing, flame retardency, anti-static and Teflon coatings.

EASE OF USE

Soft to the touch, binding tapes are extremely versatile for use in diverse applications thus providing significant value for money for our customers.

SPECIFIC APPLICATIONS

Product development capability and expertise provides our customers with the ability to develop specialised binding tapes engineered to their specifications.



CONTACT DETAILS

Tel: +27 41 484 5483 | Fax: +27 41 484 6415

Email: sales@webbing.co.za | www.webbingproducts.com

The purpose of this document is to detail specifications, test results and limits of the binding tapes range. As such, the information provided is only relevant to use within the product design and may not be relevant should the product be utilised in any improper manner.

BINDING TAPES



| STOCK CODE | PRODUCT DESCRIPTION | WIDTH (MM) | WIDTH (INCHES) | BREAK STRENGTH (KG) | BREAK STRENGTH (POUNDS) | WEAVE TYPE | POPULAR COLOUR | NATURAL | STIFFENED | PIGMENTED | DYED |
|------------|-----------------------------------|------------|----------------|---------------------|-------------------------|-------------------|----------------|-----------------------------|-----------|-----------|------|
| | | | | | | | | • DENOTES STANDARD PRODUCTS | | | |
| C0952 | Texturised Polyester Binding Tape | 19 | 3/4 | 90 | 190 | Herringbone Twill | Olive | • | | • | |
| C0967 | Texturised Polyester Binding Tape | 25 | 1 | 100 | 220 | Herringbone Twill | Olive | • | | • | |
| C1032 | Texturised Polyester Binding Tape | 30 | 1 1/6 | 100 | 220 | Herringbone Twill | Olive | • | | • | |
| C0965 | Polyester Binding Tape | 25 | 1 | 420 | 920 | Herringbone Twill | Olive | • | | • | |
| C2069 | Polyester Binding Tape | 30 | 1 1/6 | 600 | 1 320 | Herringbone Twill | Black | • | | • | |
| C1040 | Texturised Polyester Binding Tape | 38 | 1 1/2 | n/a | n/a | Herringbone Twill | Olive | • | | • | |
| C1609 | Texturised Polyester Binding Tape | 60 | 2 1/3 | n/a | n/a | Herringbone Twill | Olive | • | | • | |